


# STAT-MAT

## Anti-Static Cleaner For Conductive Mats and Hard Surfaces

Stat-Mat is specifically designed for cleaning and maintaining a broad range of static dissipative surfaces. Regular cleaning and detergent compounds destroy the static dissipating properties of highly specialized conductive mats, rendering static control maintenance programs ineffective. Stat-Mat removes dirt and soil while maintaining or increasing static dis-

sipative properties. This product is effective on all types of ESD control matting and hard surfaces such as work benches, storage racks, and countertops. Stat-Mat may also be diluted and used to clean computer screens, computer cases and plexiglass surfaces. Environmentally safe, it is non-corrosive, non-flammable, and biodegradable.



### APPLICATION & MAINTENANCE

For anti-static matting or anti-static hard surfaces, simply spray on Stat-Mat and wipe with a clean, low lint wiper.

For computer screens and acrylic surfaces, Stat-Mat should be diluted 1:4 with water. Spray on diluted Stat-Mat and wipe with a clean, low lint wiper.

### SPECIFICATIONS

Active Ingredients	Anti-static and quaternary compounds
Electrostatic Decay Time	0.1 Seconds
pH	8.5 - 9.5
Free Ammonia	None
Free Alkali	None
Free Acid	None
Phosphates	None
Abrasives	None
Color	Light Blue
Odor	Mild Detergent
Solubility in Water	100%
Freeze/Thaw Stability	Minimum 3 cycles
Shelf Life	1 year minimum at room temperature
Flash Point	>220°F
Weight Per Gallon	8.3
Biodegradable	Yes
Soil Suspension	Good

### SAFETY INFORMATION

Health	1
Flammability	0
Reactivity	0
Personal Protection	B

**Read Safety Data Sheet thoroughly before using.** May cause irritation in undiluted concentrations. If ingested, give one or two glasses of milk or water. **Do Not Induce Vomiting.** External contact, flood with water. In the event of eye contact, wash with plenty of clean water. **Contact a physician immediately.**



605 Springs Road, Bedford, MA 01730 USA  
Tel: 978.667.5161, Fax: 978.670.5797  
E-mail: [Info@perma.com](mailto:Info@perma.com)  
[www.perma.com](http://www.perma.com)